

## CB 21/22 Shrink Bags (Cheese Bag™)

### Applications

CB 21/22 barrier shrink bags are designed to allow carbon dioxide to escape from the pack through the unique chlorine-free multi-layer structure whilst offering a high moisture barrier. These bags are suited for use with low gas-producing cheeses and are available in a wide range of pigmented colours and can be printed to enhance presentation.

### Features

Seal Type	Seal Format	Width (mm)	Length (mm)	Presentation	Printed
End Seal (22)	Arc, Bar, Profile,	200 - 550	250 - 1200	Loose / Taped / BOAR	Max 10 Colours
Side Seal (21)	Straight, Mod Arc, V Arc	90 - 350	200 - 550	Loose / Taped	Max 10 Colours

### Properties

Gauge	Oxygen Barrier (cc/m <sup>2</sup> /24hrs. @23°C, 0% RH, 1 atm)	Moisture Barrier (g/m <sup>2</sup> /24hrs. @38°C, 90% RH, 1 atm)	Shrink % @90°C (MD/TD)	Haze %	Gloss Hu (45°)
50μ	100*	20	37/45	8	71

\*Oxygen Permeability will vary with humidity



### **Storage – Handling**

Store in a cool, dry place, away from heat & direct sunlight. Recommended storage temperature : 4°- 24°C (maximum). Use oldest stock first. Store cartons with product label showing. To avoid damage to bags do not use knives, sharp instruments or hooks to open cartons. Store in original packaging and use within 1 year from date of manufacture.

**EU Status:** All Bemis Swansea products comply with UK Regulations & various EU Regulations including 10/2011, as amended, 1935/2004 & 94/62/EC. Bemis Swansea is registered with LRQA & certified to ISO9001:2008 & BRC/IOP.

**IMPORTANT NOTICE TO PURCHASER:** All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed. Other sampling or test procedures may produce different values or results. Before using, the user shall determine the suitability of the product or information for his intended use by appropriate testing, sampling and statistical analysis and the user assumes all risk and liability whatsoever in connection therewith. No statement or suggestion herein is to be considered a recommendation or inducement of any use, manufacture or sale that may infringe any patents now or hereafter in existence. Rev 12/01