

Pro-Tite™ 51/52 HD Shrink Bags

Applications

Pro-Tite™ 51/52 HD barrier shrink bags offer very high puncture resistance whilst displaying all the necessary attributes of the highest quality retail presentation bags. They are very well suited for products with hard surfaces; bone-in meats, cured hams, ceramic terrines, and very hard rind cheeses. Pro-Tite™ 51/52 HD bags exhibit superb shrink properties and give excellent clarity for both retail and industrial applications.

Features

Seal Type	Seal Format	Width (mm)	Length (mm)	Presentation	Printed
End Seal (52)	Arc, Bar, Profile	200 - 500	250 - 1200	Loose / Taped / BOAR	Max 10 Colours
Side Seal (51)	Straight, Mod Arc, V-Arc	90 - 350	200 - 500	Loose / Taped	Max 10 Colours

Properties

Gauge	Oxygen Barrier (cc/m ² /24hrs. @23°C, 0% RH, 1 atm)	Moisture Barrier (g/m ² /24hrs. @38°C, 90% RH, 1 atm)	Shrink % @90°C (MD/TD)	Haze %	Gloss Hu (45°)
75μ	19	6	45/50	12	72



Storage – Handling

Store in a cool, dry place, away from heat & direct sunlight. Recommended storage temperature: 4°- 24°C (maximum). Use oldest stock first. Store cartons with product label showing. To avoid damage to bags do not use knives, sharp instruments or hooks to open cartons. Store in original packaging and use within 1 year from date of manufacture.

EU Status: All Bemis Swansea products comply with UK Regulations & various EU Regulations including 10/2011, as amended, 1935/2004 & 94/62/EC. Bemis Swansea is registered with LRQA & certified to ISO9001:2008 & BRC/IOP.

IMPORTANT NOTICE TO PURCHASER: All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed. Other sampling or test procedures may produce different values or results. Before using, the user shall determine the suitability of the product or information for his intended use by appropriate testing, sampling and statistical analysis and the user assumes all risk and liability whatsoever in connection therewith. No statement or suggestion herein is to be considered a recommendation or inducement of any use, manufacture or sale that may infringe any patents now or hereafter in existence. Rev 12/01